

MIKU

MODEL:Mi6

PC GAMING CASE



FEATURES:

- 1.FRONT PANEL WITH ARGB DANCING BAR
- 2.SUPPORT 360 LIQUID COOLING



REVISED HISTORY

Version 1.3

Edited by EVE
2023.08



SPECIFICATIONS

MODEL	Mi6
DIMENSIONS(L*W*H)	STRUCTURE:425*205*352MM PRODUCT: 440*205*352MM PACKAGE: 410*270*510MM
STRUCTURE THICKNESS	0.7MM
MATERIALS	SPCC 0.7MM LEFT SIDE PANEL: TEMPERED GLASS FRONT PANEL: METAL MESH
FORM FACTOR	M-ATX/ITX
DRIVE BAYS	5.25" CD ROM: 0 3.5" HDD: 1+2.5" SSD: 1 3.5" HDD: 0+2.5" SSD: 2
CPU MAX H	165MM
VGA MAX L	410MM(POWER SUPPLY SFX) 340MM(POWER SUPPLY ATX 180MM LENGTH) 320MM(POWER SUPPLY ATX 104MM LENGTH)
I/O PANEL	USB3.0*1+TYPE-C*1+HD AUDIO
PCI CARD SLOT	4
FAN SUPPORT	TOP: 3*12CM/2*14CM REAR: 1*12CM BOTTOM: 2*12CM
LIQUID COOLING SUPPORT	TOP: 24CM/28CM/36CM
POWER SUPPLY SUPPORT	FRONT MOUNT
WEIGHT	N.W.: 5.4KG G.W.: 6KG



PC GAMING CASE
Mi6

PICTURES




PC GAMING CASE
Mi6

USER MANUAL



1STPLAYER GAMING CASE
首席玩家游戏机箱
USER MANUAL 说明书

• ASSEMBLY VIEW 装配视图



音乐律动模式说明

NO. 序号	MODE 模式	DIRECTION 方向	EACH MODE CONTAINS 9 DIFFERENT COLOUR 每个模式都有9种颜色选择
1	BOTTOM-UP BAR, NO WHITE DOTS 正向柱状, 无白点	----->>>	1.FULL COLOUR 全彩色
2	BOTTOM-UP BAR, 2 WHITE DOTS 正向柱状, 2个白点	----->>>	2.COLOUR FADING 渐变
3	SIDE TO MIDDLE BAR, NO WHITE DOTS 双向柱状, 无白点	<<<-----	3.RED 单色红
4	SIDE TO MIDDLE BAR, 1 WHITE DOT 双向柱状, 1个白点	<<<-----	4.GREEN 单色绿
5	SIDE TO MIDDLE BAR, NO WHITE DOTS BUT WITH BASE COLOUR 双向柱状, 不带白点带底色	<<<-----	5.BLUE 单色蓝
6	BOTTOM-UP BAR, 1 WHITE DOTS 正向柱状, 1个白点	----->>>	6.YELLOW 单色黄
7	SYNCHRONIZED TWO BAR WITH SAME DIRECTION 单向两段同步	<<<----- ----->>>	7.PURPLE 单色紫
8	TWO BAR OPPOSITE 单向两段同步	----->>> <<<-----	8.CYAN 单色青
			9.WHITE 单色白

• DANCING BAR MODE AND ARGB MODE: 律动模式与ARGB模式切换:

DANCING BAR MODE/律动模式:
PRESS TO CHANGE TO THE DANCING BAR MODE.
短按 ●, 切换律动灯光形态

ARGB MODE/ARGB模式:
MOTHERBOARD SYNCHRONIZATION
跟随主板灯光

TURN OFF/关灯操作:
LONG PRESS THE BUTTON FOR 4 SECONDS, WHEN THE WHITE LIGHT
FLASHES 2 TIMES, IT WILL BE TURNED OFF.
长按 ● 4秒, 白光重复闪烁2下, 关机

TURN ON/开灯操作:
LONG PRESS THE BUTTON FOR 4 SECONDS,
WHEN THE WHITE LIGHT FLASHES 2 TIMES IT WILL, TURN ON
长按 ● 4秒, 白光闪烁2次, 开灯



PC GAMING CASE
Mi6

USER MANUAL

A. MOTHERBOARD/主板

- 1. THE HOLES OF MOTHERBOARD SCREW ALIGN WITH THE HEXAGON PILLARS
主板螺丝孔位对准六角铜柱
- 2. FIX THE MOTHERBOARD AND CASE WITH MOTHERBOARD SCREW
使用主板螺丝把主板与机箱固定
- 3. CPU MAX L: 165MM
机箱支持165MM高CPU散热器

MOTHERBOARD SPECIFICATIONS/主板规格



B. VGA CARD/显卡

- 1. INSERT THE VGA CARD TO THE PCI-E X4 CARD SLOT OF MOTHERBOARD
显卡插入主板PCI-E X4卡槽
- 2. FIX THE VGA CARD WITH HEXAGONAL SCREWS
六角螺丝固定显卡
- 3. RESERVING THE VGA CARD SLOTS FOR THE CASE, WHICH CAN ADJUST IT SELF
ACCORDING TO THE OUTPUT PORT OF VGA CARDS
机箱预留显卡卡槽,可根据显卡输出口自行调节
- 4. VGA MAX L: 410MM
机箱支持410MM长

C. POWER SUPPLY/电源

- 1. PSU FRONT MOUNT
前置电源仓
- 2. THE HOLES OF PSU ALIGN WITH THE RESERVED HOLE FOR CASE
电源孔位对准机箱预留的电源孔位
- 3. FIX WITH THE HEXAGONAL SCREWS
用六角螺丝固定

D. HDD

- 1. SUPPORT 3.5"HDD*1 支持3.5"HDD*1
- 2. THE SCREW HOLES OF HDD ALIGN WITH THE HDD HOLES, LOCKED THE HDD SCREW
HDD 螺丝孔位对准HDD孔位,锁上HDD螺丝

E. SSD

- 1. SUPPORT 2.5"SSD*1 支持2.5"SSD*1
- 2. THE HOLES OF SSD ALIGN WITH THE RESERVED HOLE FOR CASE
SSD 螺丝孔位对准SSD孔位,锁上SSD螺丝
- 3. FIX SSD WITH THE MOTHERBOARD SCREWS
用主板螺钉固定SSD

F. LIQUID COOLER/冷排

- 1. TOP: 24CM 28CM 36CM 支持顶部 24CM 28CM 36CM 冷排

FAN/风扇

- 1. TOP: 3"12CM/2"14CM 支持顶部 3"PCS 12CM/2"PCS 14CM 机箱风扇
- 2. REAR: 1"12CM 支持后置 1"PCS 12CM 机箱风扇
- 3. BOTTOM: 2"12CM 支持底部 2"PCS 12CM 机箱风扇



PC GAMING CASE
Mi6